

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Narsapur Municipality- Sri G.V.Pallam Raju, the then Municipal Assistant Engineer, Narsapur Municipality – Disciplinary proceedings instituted under Rule 20 of APCS(CC&A) Rules, 1991 – Articles of charges issued – Explanation submitted – Examined – Dropping of further action – Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (L1) DEPARTMENT

G.O.Rt.No. 57

Date:10-01-2014
Read the following:

1. G.O.Rt.No.82,MA&UD(L1) Dept., dt: 22.01.2007
2. From K.Shiva Prasad, Addl.Dir, O/o CDMA Inquiry Report
Lr.Roc.No.1/KSP/NRSP/2009, dt:17.02.2009
3. G.O.Rt.No.551,MA&UD(L1) Dept., dt.18.05.2010
4. Explanation from Sri G.V.Pallam Raju, the then MAE , Narsapur Municipality, dt:Nil

** **

ORDER

Whereas in the reference 3rd read above, disciplinary proceedings have been initiated against Sri G.V.Pallam Raju, the then Municipal Assistant Engineer, Narsapur Municipality along with 7 others on the allegations of irregularities in Pushkaram works during 2003 in Narsapur Municipality.

2. In response to above charges, the Charged Officer Sri G.V.Pallam Raju, the then Municipal Assistant Engineer has submitted his Written Statement of Defense, stating that the charge framed against him now in G.O.Rt.551,dt.18-05-2010 was already framed earlier as one of the charge (Charge.No.1) out of 19 charges framed vide G.O.Rt.No.82, dt: 22.01.2007 and an enquiry officer has been appointed and the Enquiry Officer in his findings held that the charge.No.1 is not proved; and that the said disciplinary proceedings were concluded in awarding punishment for other charges which are proved. He has therefore contended that the present charge amounts to conducting inquiry on the same issue which was held not proved by the inquiry officer and closed by the Government and therefore he has requested to consider his case and drop further action.

3. Government after careful examination of explanation and records have decided to drop further action against Sri G.V.Pallam Raju, the then Municipal Assistant Engineer, Narsapur Municipality.

4. Accordingly, Government hereby drop further action against Sri G.V.Pallam Raju, the then Municipal Assistant Engineer, Narsapur Municipality in this case.

5. The Engineer-in-Chief (Public Health), Hyderabad shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF GOVERNOR OF ANDHRA PRADESH)

Dr S.K JOSHI,
PRINCIPAL SECRETARY TO GOVERNMENT (UD)

To

Sri G.V.Pallam Raju, the then Municipal Assistant Engineer, Narsapur Municipality – **through** the Engineer-in-Chief (Public Health), Hyderabad
The Engineer-in-Chief (Public Health), Hyderabad

The Commissioner and Director of Municipal Administration, Hyderabad.

Copy to:PS to M(MA)

SF/SC.

//FORWARDED: BY ORDER //

SECTION OFFICER